



Intact - LFP09 - Batería De Litio Intac 12v. 3a, (Válida Para 6-9ah)

La batería INTACT LFP09 para motocicletas y vehículos deportivos permite una experiencia de conducción más agradable y satisfactoria.

El estado de carga de las celdas individuales está regulado por un procesador integrado (equilibrador) y garantiza el más alto estándar de seguridad para las baterías de litio. Tiene una mínima auto descarga, por lo que es perfecta para el arranque del motor después de un largo periodo fuera de la carretera. Puede instalarse en múltiples posiciones debido al tamaño universal en combinación con las almohadillas adaptadoras adhesivas (espaciador) incluidas en el suministro. Ventajas Ultra ligera: hasta un 80% más ligera que una batería de plomo-ácido Auto-descarga mínima: perfecta para uso estacional Recarga súper-rápida Elevada vida útil - más de 2.000 ciclos Montaje en cualquier posición Sin mantenimiento Indicador de estado de carga para comprobaciones habituales con solo un rápido vistazo Características: Dimensiones 134x65x92 (mm) Positivo Derecha e Izquierda Terminal M12 Voltaje 12V Amperios hora 3Ah Watios hora 36Wh Arranque en frío 180A Peso 0,78Kg

WARNING!

- Please note that not every motorcycle is suitable for the use of a lithium battery!
- Before assembling, please read the instruction manual carefully and always check if your motorcycle is suitable for the use of a lithium battery.

LI-19
LFP9

12.8
V

3
Ah

36
Wh

180
A(EN)

BIKE
POWER **LITHIUM**

intAct
BATTERY - POWER

Stefan Merckisen Akkumulatoren e.K. · Europastraße 9 · 87700 Memmingen · Germany · www.intact-batterien.de

BIKE
POWER **LITHIUM**



Lithium-Iron Sulphate Battery (LiFePO₄)



LITHIUM batteries are sealed at the factory and can be installed in tilted position up to 180°, keeping the leak proof condition.

— INTACT LITHIUM

IL LFP9



Technical specifications

Voltage (V)	12.8
Capacity (Ah)	3 (10hr)
Energy (Wh)	36
CCA (A/EN)	180
Length (mm)	134
Width (mm)	65
Height (mm)	92
Total Height (mm)	92
Layout	25 ⓘ
Terminal	Ji ⓘ