



Intact - CB9-B - Batería Intact de 9AH serie CLASSIC

Batería de arranque para coches sin mantenimiento de 12V . 9AH 80A.CLASSIC series

Intact- CLASSIC Bateria con mantenimiento. Placas positivas tratadas para evitar desulfatación templanas. Mayor calidad en fabricacion de rejillas No dudes, una bateria de calidad con el mejor precio.

Batería INTACT AMG de libre mantenimiento de 9Ah con CCA (capacidad de arranque) de 80A, terminales automotrices estándar (tipo 1) de Largo 137mm x Ancho 76mm x Alto 140mm.

CLASSIC Reemplaza Capacidad Dimensiones Polaridad Terminal (Ah-20h) (A-EN) L(mm) An (mm)

6N11A-1B	- 13 119 83 161	-	+	Patilla	CB3L-A	- 3 99 57 111	-	+	Patilla	CB3L-B	- 3 99 57 111	-	+	Patilla			
CB4L-B	- 4 120 70 92	-	+	Cuadrado	CB5L-B	12N5-3B	5 121 61 131	-	+	Patilla	12N5,5-3B	- 5,5 138 61 131	-	+	Patilla		
CB7-A	12N7-4A	8 137 76 134	+	-	Patilla	CB7L-B	12N7-3B	8 137 76 134	-	+	Patilla	CB7C-A	12N7C-3D	8 130 90 114	-	+	Patilla
CB9-B	12N9-4B-1	9 137 76 140	+	-	Patilla	CB9L-A2	- 9 137 76 140	-	+	Cuadrado	CB9L-B	12N9-3B	9 137 76 140	-	+	Patilla	
CB10L-A2	12N10-3A	11 136 91 146	-	+	Cuadrado	CB10L-B	12N10-3B	11 136 91 146	-	+	Patilla	CB10L-B2	- 11 136 91 146	-	+	Cuadrado	
CB12A-A	12N12A-4A-1	12 135 81 161	+	-	Patilla	CB12A-B	- 12 135 81 161	+	-	Patilla	CB12AL-A	- 12 135 81 161	-	+	Patilla		
CB14-A2	- 14 135 91 167	+	-	Cuadrado	CB14-B2	- 14 135 91 167	+	-	Cuadrado	CB14L-A2	12N14-3A	14 135 91 167	-	+	Cuadrado		
CB14L-B2	12N14-3B	14 135 91 167	-	+	Cuadrado	CB14A-A2	- 14 135 91 177	+	-	Cuadrado	CB16-B	12N16-4B	19 176 101 156	+	-	Patilla	
CB16L-B	- 19 176 101 156	-	+	Cuadrado	HCB16A-A	- 16 151 91 182	+	-	Cuadrado	CB16AL-A2	- 16 205 71 164	-	+	Patilla			
CB16B-A	- 16 162 92 162	+	-	Cuadrado	CB16AL-A2	- 16 205 71 164	-	+	Patilla	CB16B-A	- 16 162 92 162	+	-	Cuadrado			
CB16CL-B	- 19 175 100 175	-	+	Cuadrado	CB18L-A	- 18 182 92 164	-	+	Cuadrado	51814	12Y16A-3B	18 186 81 170	-	+	Patilla		
C50-N18L-A	12N18-3A	20 206 91 164	-	+	Cuadrado	C60-N24L-A	12N24-3	24 184 124 170	-	+	Patilla	C60-N24AL-B	53030	24 184 124 170	-	+	Patilla
CB30L-B	- 30 165 130 176	-	+	Cuadrado	C60-N30L-A	- 30 187 130 170	-	+	Patilla								



BIKE
POWER **CLASSIC**

Flooded Lead-Acid Battery



— INTACT CLASSIC

IC CB9-B




Technical specifications

Voltage (V)	12
Capacity (Ah)	9 (10hr)
CCA (A/EN)	80
Length (mm)	137
Width (mm)	76
Height (mm)	140
Total Height (mm)	140
Layout	1 ⓘ
Terminal	Bi ⓘ

ⓘ LAYOUT

ⓘ TERMINAL

 **marver**
DISTRIBUCIONES





INTACT BATTERY-POWER

intact **GP**

moto2 team

EXCLUSIVE PARTNER OF

NUEVO

BIKE
POWER **SLA**

Sealed AGM battery electrolyte held in
Absorbent Glass Mat separators

BIKE
POWER **AGM**

Sealed AGM battery electrolyte held in
Absorbent Glass Mat separators

BIKE
POWER **CLASSIC**

Flooded lead-acid battery