



MEGUI - G2980 - Kit de restauración de faros Meguiar's Heavy Duty

Kit de Restauración de Faros Meguiar's Heavy Duty, elimina oxidación y amarilleo, mejorando la claridad y visibilidad nocturna. Protege los faros hasta por 12 meses.

Kit de Restauración de Faros Meguiar's Heavy Duty - Limpieza y Protección Profesional El Kit de Restauración de Faros Meguiar's Heavy Duty está diseñado para proporcionar resultados profesionales, eliminando la oxidación, el amarilleo y la borrosidad de los faros. Gracias a su avanzada tecnología, este kit no solo restaura la claridad cristalina de los faros, sino que también ofrece una protección duradera contra el re-amarilleo y la reoxidación hasta por 12 meses. Con un pulido y abrillantado completos, el kit mejora significativamente la visibilidad nocturna, asegurando una conducción más segura.

Características Técnicas

Resultados profesionales: Elimina el amarilleo, la oxidación y la neblina de los faros, restaurando su claridad original.

Protección duradera: Protege los faros contra el re-amarilleo y la oxidación por hasta 12 meses.

Mejora la visibilidad: Con faros más claros, obtendrás una mejor visibilidad nocturna y mayor seguridad en la conducción.

Incluye herramientas: El kit viene con discos abrasivos y un adaptador para taladro para facilitar el proceso de pulido.

Fácil de usar: Diseñado para proporcionar resultados destacables incluso a usuarios no profesionales.

Contenido del Kit

- PlastX Pulidor de Plástico Transparente: 118 ml.
- Protector de Faros Meguiar's: 118 ml.
- Adaptador de piel para taladro para uso con PlastX.
- 1 disco abrasivo P1000.
- 1 disco abrasivo P3000.
- Discos abrasivos adicionales.


Beneficios y Aplicaciones

El Kit de Restauración de Faros Meguiar's Heavy Duty es la opción ideal para quienes desean restaurar sus faros con resultados profesionales sin necesidad de acudir a un taller. Este kit elimina eficazmente la oxidación y el amarilleo, devolviendo la claridad a los faros y mejorando la seguridad en la conducción nocturna. Con una protección duradera que evita la reoxidación por hasta 12 meses, tus faros se mantendrán como nuevos por más tiempo. Incluye todas las herramientas necesarias para un proceso sencillo y eficiente.













PRO
RESULTS

Meguiar's
SINCE 1901

HEAVY DUTY

Headlight Restoration Kit

- Restores clarity to severely oxidized & yellowed headlights
- Headlights stay clear for one year!



Kit Contains:
• 4oz. 612304 PlastX™ Polish
• 2.5oz. 62402 Headlight Coating
• Wood Pad
• 2 Finishing Discs
• Sanding Pad
• Foam Applicator Pad

DANGER: IRRITANT. IF SWALLOWED,
FLAMMABLE LIQUID AND VAPOR. CAUSES EYE IRRITATION.
MAY CAUSE ALLERGIC SKIN REACTION.
Read carefully other cautions on the back panel.

1 YEAR
Keeps Clear for:

* Lab tested per ASTM G154-12

Meguiar's
SINCE 1901

HEAVY DUTY

Headlight Restoration Kit

Achieve professional results at home.

Meguiar's proprietary coating prevents re-oxidation for one year!*

DIRECTIONS: For best results, apply to a clean, cool & dry headlight in the shade.

Note: Not intended for use on LED navigation screens, plastic convertible top windows or motorcycle windshields.

1. Remove any dirt/dust from headlight using glass cleaner and a clean towel. Mask edges using masking tape. Be cautious around edges, and be careful to not touch paint.
2. Attach 1000 grit finishing disc to hand pad. Maintain or keep the finishing disc wet by dunking it into a small container with water or spraying water directly onto the disc. Sand the headlight in a smooth uniform side to side motion with overlapping passes. Frequently wet the disc for lubrication. Continue sanding until headlight appears evenly frosted. Wipe the headlight dry with a microfiber towel.
3. Remove 1000 grit finishing disc and attach the 2000 grit finishing disc to the hand pad. Maintain or keep the finishing disc wet by dunking it into a small container with water or spraying water directly onto the disc. Sand the headlight thoroughly in smooth uniform side to side motion with overlapping passes. Wipe the headlight dry with a microfiber towel.
4. Attach the Meguiar's yellow polishing pad to drill (refer to drill only directions for proper attaching instructions. Recommended for use with corded drills that operate between 1000 & 2000 RPM).
5. Apply oxidized headlight Meguiar's PlastX™ polish to pad. Place pad on the surface to be restored, then lift pad to one side to remove any excess before reapplying. Use slow back & forth, continuous overlapping strokes to treat a small area at a time. Heavy pad pressure is not required. Do not use the pad edge. Meguiar's PlastX™ can be applied at all drill speeds. Faster drill speeds produce more cutting and polishing action; however they may also remove the difficulty in keeping the pad flat against the surface, so alter drill speed as needed.
6. Remove product immediately before it has a chance to dry with a microfiber towel. Reapply PlastX™ as necessary and continue buffing until headlight is clear. Apply and remove PlastX™ with the microfiber towel for a final buff.
7. Spray restored headlight with glass cleaner to remove all product residue and wipe clean and dry with a microfiber towel.
8. Ensure the headlight surface is clean and dry. Apply the coating to the gray applicator pad. Begin to apply the coating from top to bottom evenly. Continue working your way across the headlight with overlapping strokes until the entire headlight has been treated. Repeat process on other headlight. Product dries to the touch in 10 minutes. Product fully cures in 24 hours. It is recommended to keep headlight clean and dry while headlight coating fully cures.

*Lab tested per ASTM G154-12

You Provide:

Masking tape • Water in a cup & spray bottle • Microfiber towel

G12304 PlastX™ Polish

Danger: May irritate nose and throat. **CONTAINS:** Petroleum Distillates

G12402 Headlight Coating

Danger: May irritate the nose and throat and cause dizziness, headache or nausea. **CONTAINS:** 1-Propoxy-2-Propanol, Petroleum Distillates, Acrylate, Isobutyl Methacrylate UV Absorbent, Ethylbenzene.

PRECAUTIONS: Vapor may cause flash fire. Keep away from heat, sparks, flame and sources of static discharge. Avoid eye contact. Do not get on skin or clothing. Avoid breathing vapors. Use only with adequate ventilation. Do not smoke. Wash thoroughly after handling. Close container after each use. **KEEP OUT OF REACH OF CHILDREN.**

FIRST AID INFORMATION: **Inhalation:** Remove person to fresh air. If you feel unwell, get medical attention. **Skin Contact:** Immediately wash with soap and water. Remove contaminated clothing and wash before reuse. If signs/symptoms develop, get medical attention. **Eye Contact:** Immediately flush with large amounts of water for at least 15 minutes. Remove contact lenses if easy to do. Continue rinsing. Immediately get medical attention. **If Swallowed:** Do not induce vomiting. Call physician immediately.

G12402
© Meguiar's, Inc.
Irvine, CA 92618
meguiars.com
California Air Resources Board
Responsible Care
United States National
Consumer Electronics Association
MSD 001 001
meguiars.com/usa/usa

REPAIR
AFTER THE FACT
FOR
CAR
CRAZY
PROTECT